

1751

SDS No.:



# **Wood Preservative**

## **SECTION 1. IDENTIFICATION**

**Product Identifier** Wood Preservative

Other Means of 33-698ARM, BULK-13690, 33-691ARM, 33-694ARM, 33-671H, 33-674H, 33-701ARM,

Identification 33-704ARM

**Recommended Use** Please refer to Product label.

Restrictions on Use None known.

Manufacturer/Supplier Recochem Inc., 850 Montee de Liesse, Montreal, QC, H4T 1P4, Compliance and Regulatory

**Identifier** Department, 905-878-5544, www.recochem.com

Emergency Phone No. CANUTEC, 613-996-6666, 24 Hours

**SDS No.** 1751

### **SECTION 2. HAZARD IDENTIFICATION**

#### Classification

Flammable liquid - Category 3; Skin irritation - Category 2; Eye irritation - Category 2A; Germ cell mutagenicity - Category 1B; Carcinogenicity - Category 2; Specific target organ toxicity (single exposure) - Category 3; Specific target organ toxicity (repeated exposure) - Category 2; Aspiration hazard - Category 1

#### **Label Elements**







Signal Word: Danger

Hazard Statement(s):

Flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin and eye irritation.

May cause drowsiness or dizziness.

May cause genetic defects.

Suspected of causing cancer.

May cause damage to organs (nervous system) through prolonged or repeated exposure if inhaled.

Precautionary Statement(s):

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical, ventilating, and lighting equipment.

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: March 21, 2017

Date of Last Revision: Page 01 of 10

Use explosion-proof equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe fume, mist, vapours, spray.

Wash hands and skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing, eye protection, face protection.

#### Response:

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Call a POISON CENTRE or doctor if you feel unwell.

If skin irritation occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a POISON CENTRE or doctor if you feel unwell.

If eye irritation persists: Get medical advice or attention.

In case of fire: Use appropriate foam, carbon dioxide, dry chemical powder, water spray or fog to extinguish.

#### Storage:

Store in a well ventilated place. Keep cool. Keep container tightly closed. Store locked up.

#### Disposal:

Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

#### Other Hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Stoddard solvent	8052-41-3	71.67		
Zinc Naphthenate (14-16% zinc)	12001-85-3	11.00		
Solvent naphtha (petroleum), medium aliph.	64742-88-7	9.00		
Copper naphthenate	1338-02-9	3.52		
n-Nonane	111-84-2	2.25		
1,2,4-Trimethylbenzene	95-63-6	2.25		
Hydrotreated kerosene	64742-47-8	1.05		
Naphthalene	91-20-3	0.22		

#### **Notes**

## Use of Generic SDS:

If the concentration or actual concentration range of an ingredient of a particular hazardous product in the series is different from the concentration or actual concentration range disclosed for the rest of the series, either the concentration or the actual concentration range must be indicated beside that ingredient under item 3 (Composition/Information on ingredients) of the SDS. Furthermore, if any other specific information element(s) (such as

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: March 21, 2017

Date of Last Revision: Page 02 of 10

1751

SDS No.:

flash point, numerical measure of toxicity, etc.) for a particular hazardous product in the series differs from that of the other products in the series (without affecting the classification), the information element relevant to that hazardous product must be disclosed on the SDS with an indication to which hazardous product each relates.

Source: Health Canada - Technical Guidance on the Requirements of the Hazardous Products Act and the Hazardous Products Regulations WHMIS 2015 Supplier Requirements - pg 117

### **SECTION 4. FIRST-AID MEASURES**

#### First-aid Measures

#### Inhalation

Take precautions to ensure your own safety before attempting rescue (e.g. wear appropriate protective equipment). Remove source of exposure or move to fresh air. Keep at rest in a position comfortable for breathing. If breathing has stopped, trained personnel should begin rescue breathing. If the heart has stopped, trained personnel should start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth-to-mouth contact by using a barrier device. Immediately call a Poison Centre or doctor.

#### **Skin Contact**

Avoid direct contact. Wear chemical protective clothing if necessary. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Call a Poison Centre or doctor if you feel unwell. If skin irritation occurs, get medical advice or attention. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

#### **Eye Contact**

Avoid direct contact. Wear chemical protective gloves if necessary. Quickly and gently blot or brush chemical off the face. Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

#### Ingestion

Do not induce vomiting. Rinse mouth with water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. If breathing has stopped, trained personnel should immediately begin rescue breathing. Immediately call a Poison Centre or doctor.

## Most Important Symptoms and Effects, Acute and Delayed

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### **Immediate Medical Attention and Special Treatment**

#### **Target Organs**

Eyes, skin, respiratory system.

#### **Special Instructions**

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### **Medical Conditions Aggravated by Exposure**

Dermatitis.

### **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

#### Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

#### **Unsuitable Extinguishing Media**

None known.

#### **Specific Hazards Arising from the Product**

Flammable liquid and vapour. Can ignite at room temperature. Releases vapour that can form explosive mixture with

Product Identifier: Wood Preservative - Ver. 1 SDS No.: 1751

Date of Preparation: March 21, 2017

Date of Last Revision: Page 03 of 10

air. Can be ignited by static discharge. Can accumulate static charge by flow, splashing or agitation. Liquid can float on water and may travel to distant locations and/or spread fire. See Section 9 (Physical and Chemical Properties) for flash point and explosive limits. Closed containers may rupture violently when heated releasing contents.

In a fire, the following hazardous materials may be generated: irritating chemicals; toxic chemicals; very toxic carbon monoxide, carbon dioxide.

### **Special Protective Equipment and Precautions for Fire-fighters**

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment, and Emergency Procedures

No special precautions are necessary. Evacuate downwind locations. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Eliminate all ignition sources. Use grounded, explosion-proof equipment.

#### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway.

#### Methods and Materials for Containment and Cleaning Up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

### **SECTION 7. HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

## **Conditions for Safe Storage**

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control Parameters**

	ACGIH	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA	
Hydrotreated kerosene	200 mg/m3 A3	Not established	Not established	Not established			

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: March 21, 2017

Date of Last Revision: Page 04 of 10

SDS No.:

1751

Stoddard solvent	100 ppm	Not established	100 ppm	Not established	
Naphthalene	10 ppm A3	Not established	10 ppm	15 ppm	
n-Nonane	200 ppm	Not established	200 ppm	Not established	
1,2,4-Trimethylbenzene	25 ppm	Not established	25 ppm	Not established	
Zinc Naphthenate (14-16% zinc)	Not established	Not established	Not established	Not established	
Solvent naphtha (petroleum), medium aliph.	100 ppm	Not established	400 ppm	500 ppm	
Copper naphthenate	1 mg/m3	Not established	1 mg/m3	Not established	

#### **Appropriate Engineering Controls**

General ventilation is usually adequate. For large scale use of this product: use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored. Control static electricity discharges which includes bonding of equipment to ground. Use only non-combustible, compatible materials for walls, floors, ventilation system, air cleaning devices, pallets, shelving. Provide eyewash and safety shower if contact or splash hazard exists.

#### **Individual Protection Measures**

#### **Eye/Face Protection**

Wear chemical safety goggles.

#### **Skin Protection**

Wear chemical protective clothing e.g. gloves, aprons, boots.

#### **Respiratory Protection**

Not normally required if product is used as directed. For non-routine or emergency situations: wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## **Basic Physical and Chemical Properties**

Appearance Available in these colours: Clear, Yellow, Gold, Red, Blue, Green, Amber, Pink,

Orange, Purple, White, Brown.

Odour Hydrocarbon
Odour Threshold Not available
pH Not available

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/Range Not available

Flash Point 42 °C (108 °F) (closed cup)

Evaporation Rate Not available Flammability (solid, gas) Not applicable

**Upper/Lower Flammability or** 

**Explosive Limit** 

5.6% (upper); 0.8% (lower)

Vapour Pressure Not available
Vapour Density (air = 1) Not available

**Relative Density (water = 1)**  $0.810 - 0.830 \text{ at } 20 \,^{\circ}\text{C} (68 \,^{\circ}\text{F})$ 

**Solubility** Insoluble in water; Not available (in other liquids)

Product Identifier: Wood Preservative - Ver. 1 SDS No.: 1751

Date of Preparation: March 21, 2017

Date of Last Revision: Page 05 of 10

Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

**Auto-ignition Temperature** 260 °C (500 °F) **Decomposition Temperature** Not available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Liquid

Molecular Weight Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

#### Reactivity

None known.

### **Chemical Stability**

Normally stable.

## **Possibility of Hazardous Reactions**

None known.

#### **Conditions to Avoid**

Open flames, sparks, static discharge, heat and other ignition sources. Temperatures above 43.0 °C (109.4 °F)

#### **Incompatible Materials**

Reacts explosively with: strong oxidizing agents (e.g. perchloric acid).

Strong bases (e.g. sodium hydroxide), strong acids (e.g. hydrochloric acid).

Not corrosive to metals.

## **Hazardous Decomposition Products**

Irritating chemicals; toxic chemicals; very toxic carbon monoxide, carbon dioxide.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Likely Routes of Exposure**

Skin contact; eye contact; inhalation.

#### **Acute Toxicity**

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Hydrotreated kerosene	> 5 mg/L (rat) (4-hour exposure)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)
Stoddard solvent	> 5500 mg/m3 (rat) (4-hour exposure)	5000 mg/kg (rat)	> 3000 mg/kg (rabbit)
Naphthalene	739.2 mg/m3 (rat) (4-hour exposure)	316 mg/kg (mouse)	> 20000 mg/kg (rabbit)
n-Nonane	3200 ppm (rat) (4-hour exposure)	15 g/kg (rat)	Not available
1,2,4-Trimethylbenzene	18000 mg/m3 (rat)	5000 mg/kg (rat)	Not available
Zinc Naphthenate (14-16% zinc)	Not available	4920 mg/kg (rat)	> 2000 mg/kg (rabbit)
Solvent naphtha (petroleum), medium aliph.	> 14.1 mg/L (rat) (4-hour exposure)	> 6212 mg/kg (rat)	> 3000 mg/kg (rabbit)
Copper naphthenate	3 mg/L (rat) (4-hour exposure)	7500 mg/kg (rat)	> 5000 mg/kg (rabbit)

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: March 21, 2017

Date of Last Revision: Page 06 of 10

SDS No.:

1751

LC50: Not applicable.
Oral ATE: 5001.47 mg/kg
Dermal ATE: 2973.54 mg/kg
Skin Corrosion/Irritation

Animal tests show moderate or severe irritation.

### Serious Eye Damage/Irritation

Human experience shows mild irritation. The vapour also irritates the eyes.

## STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause depression of the central nervous system. Symptoms may include headache, nausea, dizziness, drowsiness and confusion. Nose and throat irritation. At high concentrations.

#### **Skin Absorption**

No information was located.

#### Ingestion

Not harmful based on animal tests.

## **Aspiration Hazard**

Can cause lung damage if aspirated based on human experience. Death can result.

## STOT (Specific Target Organ Toxicity) - Repeated Exposure

Causes damage to organs based on studies in people. If inhaled: effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above, effects on the central nervous system, "organic solvent syndrome". Causes Following skin contact: dermatitis. Symptoms may include dry, red, cracked skin (dermatitis). effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

May cause damage to organs based on limited evidence. If inhaled and/or following skin contact: at high concentrations harmful effects on the kidneys, harmful effects on the liver.

May cause damage to organs based on limited evidence. If inhaled and/or following skin contact: blood tests may show abnormal results.

Harmful based on animal studies. If swallowed: harmful effects on the kidneys. (Zinc Naphthenate (14-16% zinc)).

#### Respiratory and/or Skin Sensitization

No information was located. No information was located.

#### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Chemical Name	IARC	ACGIN®	NIP	ОЗПА
Hydrotreated kerosene	Group 3	A3	Not Listed	Listed
Stoddard solvent	Group 3	Not designated	Not Listed	Not Listed
Naphthalene	Group 2B	A3	Reasonably anticipated	Not Listed
n-Nonane	Not Listed	Not designated	Not Listed	Not Listed
1,2,4-Trimethylbenzene	Not Listed	Not designated	Not Listed	Not Listed
Zinc Naphthenate (14-16% zinc)	Not Listed	Not designated	Not Listed	Not Listed
Solvent naphtha (petroleum), medium aliph.	Group 3	Not designated	Not Listed	Not Listed
Copper naphthenate	Not Listed	Not designated	Not Listed	Not Listed

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: March 21, 2017

Date of Last Revision: Page 07 of 10

1751

SDS No.:

### **Reproductive Toxicity**

## **Development of Offspring**

Conclusions cannot be drawn from the limited studies available.

### **Sexual Function and Fertility**

No information was located.

#### **Effects on or via Lactation**

No information was located.

## **Germ Cell Mutagenicity**

May be mutagenic based on limited evidence. (Stoddard solvent)

### **Interactive Effects**

No information was located.

## **SECTION 12. ECOLOGICAL INFORMATION**

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

## **Ecotoxicity**

## **Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Hydrotreated kerosene	2.2 mg/L (Lepomis macrochirus (bluegill); 96-hour)	Not available		
Stoddard solvent	Not available	Not available		
Naphthalene	0.9-9.8 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; fresh water)	Not available		
n-Nonane	Not available	Not available		
1,2,4-Trimethylbenzene	7.72 mg/L (Pimephales promelas (fathead minnow); 96-hour)	Not available		
Zinc Naphthenate (14-16% zinc)	1530 ug/L (Lepomis macrochirus (bluegill); 96-hour; fresh water; flow-through)	4600 ug/L (Daphnia magna (water flea); 48-hour; fresh water; static)		
Solvent naphtha (petroleum), medium aliph.	800 mg/L (Pimephales promelas (fathead minnow); 96-hour)	Not available		
Copper naphthenate	Not available	Not available		

## **Chronic Aquatic Toxicity**

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
Hydrotreated kerosene	Not available		Not available	
Stoddard solvent	Not available		Not available	
Naphthalene	1.8 mg/L (Oncorhynchus		Not available	

1751

SDS No.:

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: March 21, 2017

Date of Last Revision: Page 08 of 10

	mykiss (rainbow trout); 3 days; fresh water)		
n-Nonane	Not available	Not available	
1,2,4-Trimethylbenzene	Not available	Not available	
Zinc Naphthenate (14-16% zinc)	Not available	Not available	
Solvent naphtha (petroleum), medium aliph.	Not available	Not available	
Copper naphthenate	Not available	Not available	

### Persistence and Degradability

No information was located.

#### **Bioaccumulative Potential**

No information was located.

## **Mobility in Soil**

No information was located.

#### Other Adverse Effects

There is no information available.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal Methods**

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14. TRANSPORT INFORMATION**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	1268	PETROLEUM DISTILLATES, N.O.S.	3	Ш
US DOT	1268	PETROLEUM DISTILLATES, N.O.S.	3	III

**Environmental** 

Potential Marine Pollutant (1,2,4-Trimethylbenzene)

Hazards

**Special Precautions** Please note: In containers of 450 L or less this product is not classified as a Dangerous Good

according to TDG Exemption 1.33

In containers of 450L of less, this product meets the requirements of DOT exemption as per 49

SDS No.:

1751

CFR, section 173.150 (f).

## Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **Proof of Dangerous Goods Classification**

**Date of Classification** February 10, 2017

Technical Name PETROLEUM DISTILLATES, N.O.S.

Classification 3 PG III

Classification Method Flashpoint as per Section 9

Product Identifier: Wood Preservative - Ver. 1

Date of Preparation: March 21, 2017

Date of Last Revision: Page 09 of 10

#### **SECTION 15. REGULATORY INFORMATION**

#### Safety, Health and Environmental Regulations

#### Canada

#### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

#### **USA**

#### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

#### **Additional USA Regulatory Lists**

California Proposition 65: WARNING: Cancer - www.P65Warnings.ca.gov/product.

#### **Custom Regulatory 1**

Consumer Product Safety Improvement Act of 2008 General Conformity Certification

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

### **SECTION 16. OTHER INFORMATION**

**SDS Prepared By** Compliance and Regulatory Department

Phone No. 905-878-5544 **Date of Preparation** March 21, 2017

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). Additional Information We are committed to uphold the Industry Consumer Ingredient Communication Voluntary

Initiative.

Please send us your request by visiting our website at www.recochem.com.

Ingredients present (intentionally added ingredients) at a concentration of greater than one percent (1%) shall be listed in descending order of predominance. Ingredients present at a concentration of not more than one percent shall be listed but may be disclosed without

respect to order of predominance.

**Disclaimer** Notice to reader: To the best of our knowledge, the information contained herein is accurate.

However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are

SDS No.:

1751

described herein, we cannot guarantee that these are the only hazards that exist.

Product Identifier:

Date of Preparation: March 21, 2017

Date of Last Revision: Page 10 of 10

Created using CAN\/rite