

# SAFETY DATA SHEET

Revision Date 01/30/2015 REVISION NUMBER: 2

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name CHLOR-FOAM PLUS, Liquid Chlorinated Alkaline Foam Cleaner

Other means of identification

 Product code
 118305

 UN/ID No.
 3266

 Synonyms
 NONE

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available.
No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Rochester Midland Corporation

155 Paragon Drive

Rochester, New York 14624 USA

Emergency telephone number

**EMERGENCY TELEPHONE** INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

# 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

# **Emergency Overview**

### DANGER

### Hazard statements

Causes severe skin burns and eye damage

May be corrosive to metals



Appearance Clear Light yellow liquid.

Physical state Liquid

**Odor** No information available

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

#### **Precautionary Statements - Storage**

Store locked up

Store in corrosive resistant container

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

No information available

#### Other Information

- Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
Sodium hypochlorite	7681-52-9	1 - 5	*
POTASSIUM HYDROXIDE	1310-58-3	1 - 10	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures

**General advice** Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

**Revision Date** 01/30/2015

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

# Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Cool exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER: Concentrated, alkaline liquid. Avoid contact with eyes, skin and clothing. Do not

breathe mist or vapors. Mix only with water. Do not reuse container. Read and follow label

instructions. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in

original container. Contents may develop pressure upon prolonged storage; loosen closure cautiously before opening. Empty containers may retain product residue, follow MSDS/label precautions even after container is emptied. Contact with certain food sugars can release

hazardous amounts of carbon monoxide gas in enclosed vessels.

**Revision Date** 01/30/2015

Incompatible materials

Mix only with water. Contact with acids and acid-containing cleaners, such as rust removers, vinegar, and toilet bowl cleaners may generate hazardous gases, such as chlorine, along with heat. Interaction with ammonia-containing materials may liberate ammonia gas or chloramine derivatives of ammonia. Do not mix with:. Organic matter. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
POTASSIUM HYDROXIDE 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	-

#### **Appropriate engineering controls**

**ENGINEERING CONTROLS**General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

Corrosion resistant equipment recommended. Showers. Eyewash stations.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Goggles and face shield are recommended to minimize eye contact.

Skin and body protection Chemical resistant gloves are recommended to minimize skin contact. Appropriate

protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine

None to boiling.

level of PPE required that is consistent with safe use of this product.

**RESPIRATORY PROTECTION** Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is

likely.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear Light yellow liquid.OdorNo information availableColorNo information availableOdor thresholdNo information available

Property Values Remarks • Method

**pH** 14.0

Melting point/freezing point

Boiling point / boiling range

No information available
No information available

Flash point -

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific gravity 1.136 - 1.156

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information available

Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties
No information available
No information available
No information available
No information available

**Other Information** 

Softening point
VOC (EPA METH.24) (G/L):
No information available

# 10. STABILITY AND REACTIVITY

#### REACTIVITY

No data available

# **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

### **CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

Mix only with water. Contact with acids and acid-containing cleaners, such as rust removers, vinegar, and toilet bowl cleaners may generate hazardous gases, such as chlorine, along with heat. Interaction with ammonia-containing materials may liberate ammonia gas or chloramine derivatives of ammonia. Do not mix with:. Organic matter. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

# **Hazardous Decomposition Products**

Chlorine gas. oxygen.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

**Inhalation** Causes burns.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin contact** Causes burns.

**Ingestion** Causes burns.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg ( Rabbit )	-
POTASSIUM HYDROXIDE 1310-58-3	= 214 mg/kg (Rat)	-	-

### Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION CAS#	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	ı	Group 3	ı	-

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6574 mg/kg ATEmix (dermal) 79793 mg/kg

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

15.08% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
Sodium hypochlorite 7681-52-9	-	4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static	

# Persistence and degradability

No information available.

#### Bioaccumulation

PRODUCT COMPOSITION CAS#	Partition coefficient
POTASSIUM HYDROXIDE 1310-58-3	0.83

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS	
13. DISPUSAL CUNSIDERATIONS	

\_\_\_\_\_

**Revision Date** 01/30/2015

Cloud.id.

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

# 14. TRANSPORT INFORMATION

**UN/ID No.** 3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (POTASSIUM HYDROXIDE, SODIUM

HYPOCHLORITE SOLUTION)

Hazard Class 8
Packing Group ||

**Description** 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

### 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS** Does not Comply **ENCS IECSC** Complies Does not Comply **KECL PICCS** Complies Complies **AICS** 

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD

CHRONIC HEALTH HAZARD

FIRE HAZARD

No
Sudden release of pressure hazard

REACTIVE HAZARD

YES

No
No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION CAS#	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Sodium hypochlorite 7681-52-9	100	
POTASSIUM HYDROXIDE 1310-58-3	1000	

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### **U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
Sodium hypochlorite 7681-52-9	Listed	Listed	Listed
POTASSIUM HYDROXIDE 1310-58-3	1571	Listed	Listed

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# **16. OTHER INFORMATION**

NFPA

Health hazards 3 Flammability 0 Instability 1

Physical and Chemical Properties ALKALI

HMIS

Health hazards 3 Flammability 0 Physical hazards 1 Personal protection C

Prepared By EH&S DEPARTMENT

Revision Date 01/30/2015

**Revision Note** 

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*