

MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/13/2012 REVISION NUMBER:

DATE PRINTED: 04/13/2012 PREPARED BY: FH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: F-120, Alkaline Liquid Cleaner

PRODUCT CODE: 101780

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:3/3Fire:0/0Reactivity:1/1Special/Protective Equipment:ALK/C

NAME OF THE Rochester Midland Corporation

MANUFACTURER: 155 Paragon Drive

Rochester, New York 14624

USA

Emergency Phone:

INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Severe burns to mucous membranes of mouth, throat and digestive tract.

SKIN CONTACT: Causes moderate skin irritation. Prolonged contact causes severe burns which may not be

immediately painful or visible.

INHALATION: Inhalation of spray mist may be irritating. Possible damage to mucous membranes of nose and

throat.

EYE CONTACT: Causes severe eye burns. May cause permanent eye damage. May cause blindness.

CHRONIC EFFECTS: Dermatitis. Possible respiratory damage from inhalation of dust or mist.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Sodium metasilicate 6834-92-0	20 max.	Not applicable	Not applicable
POTASSIUM HYDROXIDE 1310-58-3	5 max.	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical

attention. Never give anything by mouth to an unconscious person.

SKIN: Flush with water for at least 15 minutes while removing all contaminated clothing and shoes.

Continue rinsing until "slippery" feeling is gone. Get medical attention if irritation or burns

develop.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-

mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least

15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

F-120, Alkaline Liquid Cleaner

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: (F): None (C): None

METHOD: TCC

FLAMMABLE LIMITS IN AIR

LOWER (%): No data UPPER (%): No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA: As appropriate for surrounding fire-product is mostly water and will

not burn.

FIRE FIGHTING PROCEDURES: Corrosive material. Avoid exposure to mist and splashes. Fire-

> fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed

containers with water spray.

ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: SMALL SPILLS:

Reclaim as much as possible. Flush residue with water.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush

remainder with water.

PERSONAL PRECAUTIONS: Not applicable **ENVIRONMENTAL PRECAUTIONS:** Not applicable Not applicable **METHODS FOR CLEANING UP:**

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DANGER: Concentrated, alkaline liquid. Avoid contact with eyes, skin and clothing. Do not IN HANDLING AND STORAGE: breathe mist or vapors. Store only in original container and keep closed. Store in a cool, dry

Store in a well ventilated area. Mix only with water.

OTHER PRECAUTIONS: Do not reuse container. Empty containers may retain product residue, follow MSDS/label

> precautions even after container is emptied. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels. Read and follow label

instructions.

SPECIFIC USE(S): Not applicable.

EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



PROTECTIVE GLOVES:

EXPOSURE CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: None normally required. Use approved NIOSH respiratory protection if TLV/PEL exceeded or if

over exposure is likely.

EYE PROTECTION:

Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin contact.

Goggles and face shield are recommended to minimize eye contact.

OTHER PERSONAL PROTECTION **EQUIPMENT:**

Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. Eyewash fountains and safety showers must be easily

accessible. It is the responsibility of the end user of this product to determine level of PPE

required that is consistent with safe use of this product.

VENTILATION: General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

Corrosion resistant equipment recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Yellow liquid. Odorless.

BOILING POINT (F): Not determined (C) Not determined

VAPOR PRESSURE:
VAPOR DENSITY (AIR=1):
SOLUBILITY IN WATER:
SPECIFIC GRAVITY:
VOC Content (%):
EVAPORATION RATE:
Not determined
Not determined
Not determined
12 - 13 @ 10%

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.

HAZARDOUS DECOMPOSITION: Oxides of Carbon. Oxides of Nitrogen.

INCOMPATIBILITY (MATERIALS TO Do not mix with: Acids. Neutralizes active ingredients. May react violently with strong acids.

AVOID): Avoid contact with aluminum, zinc, other soft metals or galvanized metals. May produce:

Hydrogen gas

CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established EFFECTS OF CHRONIC EXPOSURE: Not established. OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION:
MOBILITY:
PERSISTENCE/DEGRADABILITY:
BIOACCUMULATIVE POTENTIAL:
OTHER ADVERSE EFFECTS:
No data at this time.
Not applicable.
Not applicable
Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Sodium metasilicate 6834-92-0	20 max.	Listed	Listed	Listed	Not Listed
POTASSIUM HYDROXIDE 1310-58-3	5 max.	Listed	Listed	Listed	Not Listed

F-120, Alkaline Liquid Cleaner

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Sodium metasilicate 6834-92-0	20 max.	Not Listed	Not Listed	Not Listed
POTASSIUM HYDROXIDE 1310-58-3	5 max.	1000 lb 454 kg	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Sodium metasilicate 6834-92-0	20 max.	Listed
POTASSIUM HYDROXIDE 1310-58-3	5 max.	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
POTASSIUM HYDROXIDE 1310-58-3	5 max.	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK	ii .	
POTASSIUM HYDROXIDE 1310-58-3	5 max.	Listed		

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
POTASSIUM HYDROXIDE 1310-58-3	5 max.	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***